

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of: )  
TAKUEI ISHIKAWA ET AL. ) : Examiner: Lam S. Nguyen  
Appl. No.: 10/549,674 ) : Group Art Unit: 2853  
Filed: May 6, 2004 ) : Confirmation No.: 8441  
For: INK-JET PRINTING METHOD AND )  
INK-JET PRINTING APPARATUS :  
Patent No.: US 7,311,394 B2 :  
Issued: December 25, 2007 : January 23, 2009

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form (PTO-1050) is enclosed.

The \$100.00 fee for the Certificate of Correction is being paid electronically. The Commissioner is authorized to charge any underpayment or credit any overpayment to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Edmund J. Haughey/

---

Edmund J. Haughey  
Attorney for Patentees  
Registration No. 44,749

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

EJH:ayr

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

Staple  
Here  
Only!

PRINTER'S TRIM LINE

**PATENT NO. :** US 7,311,394 B2

**DATED :** December 25, 2007

**INVENTOR(S) :** ISHIKAWA ET AL.

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 1:**

Line 10, "a" (second occurrence) should read --an--.

Line 15, "are that eject" should read --involve ejecting--.

Line 21, "(1986)and" should read --(1986) and--.

Line 47, "together(hereinafter" should read --together (hereinafter--.

Line 48, "deferent" should read --different--.

**COLUMN 2:**

Line 39, "referred" should read --referred to--.

Line 45, "occur" should read --occurs--.

Line 54, "to be uneveness" should read --resulting in uneven--.

Line 67, "forwarding" should read --forward--.

**COLUMN 3:**

Line 6, "forwarding" should read --forward--.

Line 27, "head" should read --heads--.

Line 39, "ejected and landed to" should read --is ejected and lands on--.

Line 40, "adheres" should read --adhere--.

**COLUMN 4:**

Line 2, "landed" should be deleted.

Line 17, "an" should read --a--.

Line 63, "remain" should read --remains--.

**COLUMN 5:**

Line 25, "a" should be deleted.--.

**COLUMN 6:**

Line 57, "successive two scanning" should read --two successive scans--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

**PATENT NO. US 7,311,394 B2**

No. of add'l. copies  
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

Staple  
Here  
Only!

PRINTER'S TRIM LINE

**PATENT NO. :** US 7,311,394 B2

**DATED :** December 25, 2007

**INVENTOR(S) :** ISHIKAWA ET AL.

Page 2 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 7:**

Line 23, "successive two scanning" should read --two successive scans--.

Line 64, "a" should read --an--.

**COLUMN 8:**

Line 20, "of-the" should read --of the--.

Line 32, "successive two scanning" should read --two successive scans--.

Line 64, "successive two scanning" should read --two successive scans--.

**COLUMN 10:**

Line 42, "successive two scanning" should read --two successive scans--.

**COLUMN 11:**

Line 8, "successive two scanning" should read --two successive scans--.

Line 33, "scanning,means" should read --scanning means--.

Line 51, "the-scanning" should read --the scanning--.

**COLUMN 12:**

Line 18, "successive two scanning" should read --two successive scans--.

Line 51, "successive two scanning" should read --two successive scans--.

**COLUMN 13:**

Line 30, "a" (first occurrence) should be deleted.

Line 51, "an" should read --a--.

**COLUMN 14:**

Line 35, "laps" should read --lapse--.

Line 60, "oxide.2, 4,7,9-tetramethyl-5-decyne-4,7-diol" should read --oxide-2,4,7,9-tetramethyl-5-decyne-4,7-diol--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,311,394 B2

No. of add'l. copies  
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

Staple  
Here  
Only!

PRINTER'S TRIM LINE

PATENT NO. : US 7,311,394 B2

DATED : December 25, 2007

INVENTOR(S) : ISHIKAWA ET AL.

Page 3 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 16:

Line 26, "move" should read --to move--.  
Line 30, "move" should read --to move--.  
Line 46, "precedently" should read --preceding--.  
Line 47, "precedently" should read --preceding--.  
Line 63, "landed" should read --made to land--.

COLUMN 17:

Line 7, "vicinity" should read --in the vicinity of--.  
Line 66, "whole" should read --all--.

COLUMN 18:

Line 10, "whole" should read --all--.  
Line 62, "A=(n-a)xp." should read --A=(n-a)xp--.

COLUMN 19:

Line 51, "describe" should read --described--.

COLUMN 20:

Line 20, "comes" should read --to come--.  
Line 43, "is" should be deleted.

COLUMN 21:

Line 44, "the" (first occurrence) should be deleted.

COLUMN 22:

Line 6, "kept remain" should read --maintained--.  
Line 46, "plolyal-" should read --polyal- --.  
Line 49, "anlogs" should read --analogs--.  
Line 56, "weigh" should read --weight--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,311,394 B2

No. of add'l. copies  
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

Staple  
Here  
Only!

PRINTER'S TRIM LINE

**PATENT NO.** : US 7,311,394 B2

**DATED** : December 25, 2007

**INVENTOR(S)** : ISHIKAWA ET AL.

Page 4 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 23:**

Line 32, "C.I. Pigment Yellow 16," should be deleted.

Line 36, "Red57" should read --Red 57--.

Line 40, "C.I. Pigment" should be deleted.

Line 41, "Blue 22, C.I. Pigment Blue 4," should be deleted.

Line 66, "soluble in aqueous solution" should read --are soluble in the aqueous solution of--.

**COLUMN 24:**

Line 6, "kept" should read --kept in a--.

Line 13, "sued" should read --used--.

Line 17, "hyrooxide," should read --hydroxide,--.

**COLUMN 25:**

Line 5, "comprises" should read --comprise--.

Line 7, "containing" should read --contains--.

Line 10, " and:the" should read --and the--.

Line 19, "is" should read --it is--.

Line 20, "need" should read --needs--, and "preferable to be" should read --preferably--.

Line 38, "high-speeds and" should read --high-speed sand--.

**COLUMN 26:**

Line 27, "parts" should read --part--.

Line 57, "Chemial)" should read --Chemical)--.

**COLUMN 28:**

Line 3, "shown" should read --shown in--.

Line 60, "adjacent-two" should read --two adjacent--.

**COLUMN 29:**

Line 25, "such" should be deleted.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,311,394 B2

No. of add'l. copies  
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

Staple  
Here  
Only!

PRINTER'S TRIM LINE

**PATENT NO. :** US 7,311,394 B2

**DATED :** December 25, 2007

**INVENTOR(S) :** ISHIKAWA ET AL.

Page 5 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 30:**

Line 45, "cans." should read --scans--.

Line 57, "The most" should read --Most--.

**COLUMN 31:**

Line 13, "cans" should read --scans--.

**COLUMN 32:**

Line 34, "row" should read --a row--.

Line 35, "row" should read --a row--.

Line 67, "feeding" should read --feeding of the--.

**COLUMN 33:**

Line 52, "other" should read --another--.

**COLUMN 34:**

Line 9, "are" should be deleted.

**MAILING ADDRESS OF SENDER:**

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

**PATENT NO. US 7,311,394 B2**

No. of add'l. copies  
@ 30¢ per page

